Predictive analytics frameworks for sustainable waste reduction in a data driven economy

Chukwuma Godfrey Ono*, Fredrick Nnaemeka Okeagu

Nnamdi Azikiwe University, P.M.B. 5025 Awka, Anambra State, 420110, Nigeria
*Corresponding author, email: cg.ono@unizik.edu.ng

Article history
Submitted: 27 December 2025
Revised: 31 January 2026
Accepted: 15 February 2026
Published: 22 February 2026

Keywords
Circular economy
IoT-enabled waste management
Optimization
Predictive analytics
Routing
Sustainable waste reduction

Abstract
Waste generation pressures municipal, industrial, food, and healthcare systems, while landfill reliance, emissions, and material loss challenge sustainability targets. This manuscript reviews predictive analytics frameworks that support waste reduction through forecasting, optimization, and data-driven decision support aligned with circular economy principles. The scope covers conceptual foundations for predictive waste reduction models, with emphasis on the analytics progression from descriptive and diagnostic insights to predictive and prescriptive actions. Core data streams include smart bins, fill-level and weight sensors, RFID tags, supply-chain records, weather, geospatial layers, and consumer behavior signals from digital platforms. Modelling approaches span regression, tree-based learning, neural networks, and time-series methods such as ARIMA, exponential smoothing, and recurrent networks. Operational value increases when forecasts drive route planning, collection scheduling, location allocation, and facility throughput decisions. Hybrid frameworks combine machine learning with simulation, digital twins, and domain constraints to improve realism and decision credibility. Application coverage includes smart-city collection systems, manufacturing waste minimization supported by digital twins, food waste reduction through demand and shelf-life forecasting, and healthcare waste prediction for compliance and risk control. Reported outcome metrics focus on cost reduction, resource optimization, lower travel distance and fuel use, improved service reliability, higher diversion and recycling performance, and reduced environmental burden. Persistent barriers include data quality and interoperability gaps, computational cost, privacy risk from household-level data, and organizational resistance to cross-agency data sharing. Future directions prioritize edge-enabled real-time analytics, circularity-aware objective functions, secure data provenance, and policy simulation tools for transparent decision support.

1. Introduction

1.1. Background: The Global Waste Management Challenge

Waste generation represents a defining sustainability challenge of the 21st century, driven by rapid urbanization, industrialization, and population growth that elevate municipal, industrial, and hazardous waste streams. This reality is reflected in a broad body of literature that emphasizes the global scale of waste management pressures and the inadequacy of traditional approaches to cope with emerging waste volumes [1], [2], [3]. Moreover, the persistence of landfill dependency, greenhouse gas emissions, and material inefficiencies underscores the urgency for transformative approaches that move beyond linear practices toward circular systems capable of resource recovery and value retention [4], [2]. Circular economy scholarship further documents the shift from linear to circular models as a pathway to improve resource efficiency and waste valorization across sectors, highlighting the strategic need to reconfigure governance, infrastructure, and business models to enable closed-loop resource flows [5], [3].

Against this backdrop, the literature consistently argues that traditional, disposal- and collection-centric waste management is insufficient to address accelerating waste generation and its environmental impacts, calling for predictive, data-driven approaches that facilitate proactive decision-making and system-wide optimization [4], [2]. This imperative is reinforced by multiple streams of work that link circular economy adoption to reduced waste generation and improved environmental outcomes, including analyses of waste management challenges and opportunities in diverse contexts [5], [2]. To operationalize this shift, researchers advocate for leveraging analytics, forecasting, and digital technologies to inform the design of sustainable waste systems, thereby enabling smarter collection, processing, and recycling strategies that align with circular economy principles [6], [7].

Emerging scholarship demonstrates that predictive analytics and AI-enabled data frameworks can forecast waste generation patterns, optimize collection routing, and guide material-flow decisions in a data-driven economy, thereby supporting proactive waste reduction and circularity [6], [7]. This potential is

© 2026 The Author(s)
This work is licensed under a Creative Commons Attribution-ShareAlike 4.0 International License
ISSN: 3110-1577

amplified by the deployment of digital technologies, IoT-enabled monitoring, AI-driven analytics, digital twins for process simulation, and blockchain-based traceability that collectively enable real-time oversight, transparent governance, and closed-loop lifecycle management of materials across supply chains and municipal services [6], [8]. Empirical work across sectors illustrates practical benefits: predictive analytics enhances planning efficiency and reduces operational costs in waste management contexts, including construction and demolition as well as municipal settings, and informs circular economy adoption through better scoping of waste streams and resource opportunities. Realizing these benefits, however, requires robust governance, stakeholder alignment, and data infrastructure, encompassing change management and policy considerations that enable durable adoption of predictive circular economy frameworks. The literature, therefore, advocates an integrated approach that couples advanced analytics with organizational and regulatory readiness to unlock the full potential of data-driven waste reduction, resource optimization, and resilient circular systems in a modern economy [5], [2], [3].

1.2. The Role of Predictive Analytics in Sustainability

Predictive analytics in sustainability leverages historical records and real-time data streams to forecast waste system outcomes and to inform proactive decision-making across the value chain, from generation to treatment and beyond [9]. In waste management, predictive models can forecast generation volumes, seasonality, and composition, enabling optimized collection planning, dynamic routing, and targeted resource deployment that reduce inefficiencies and environmental impacts. The integration of big data, artificial intelligence AI), and Internet of Things IoT) technologies provides the data backbone and analytical capabilities required to shift waste operations from reactive response to anticipatory, resource-efficient strategies aligned with circular economy goals and broader sustainability objectives [9].

In practice, predictive analytics supports route optimization, dynamic scheduling, and the forecasting of material flows to enhance recycling, recovery, and overall circularity while minimizing environmental footprints such as greenhouse gas emissions and leachate generation [9]. Empirical and review literature indicate that big data and predictive analytics BDPA) improve planning efficiency and reduce operational costs in waste contexts, especially when combined with digital technologies like GIS-enabled predictive modelling, sensing, and business intelligence to enable real-time oversight and closed-loop material management [9]. Case studies in smart cities illustrate how AI-driven analytics, IoT sensors, and digital twins can realize anticipatory governance and resilient waste systems that advance sustainable development and circular economy outcomes [9].

1.3. Objectives and Scope

This study investigates the conceptual foundations, data sources, modelling approaches, and applications of predictive analytics in waste reduction. It highlights the benefits, limitations, and future opportunities of deploying data-driven methods across municipal, industrial, food, and healthcare waste streams. The scope emphasizes how predictive models can operationalize sustainability by reducing costs, emissions, and inefficiencies while enhancing circular economy pathways.

2. Conceptual Foundations

2.1. Defining Predictive Waste Reduction Models

Predictive waste reduction models are analytical frameworks that utilize data and algorithms to forecast waste generation and identify optimal strategies for collection, recycling, and diversion. This class of models is exemplified by studies that forecast generation volumes and composition using artificial neural networks to predict separated municipal solid waste in Croatia and the European Union, as well as by approaches that forecast waste production and plan recycling paths in e-logistics using improved EMD-LSTM architectures [10], [12]. Additional evidence for predictive modelling in waste contexts includes machine learning models that predict demolition waste generation for circular economy purposes [13], and integrated predictive-prescriptive workflows that couple waste prediction with actionable recycling recommendations [11]. These works collectively illustrate how predictive models move beyond descriptive summaries to anticipate future waste streams and guide proactive, resource-efficient interventions [10]; [12], [11].

The prescriptive element, where predictive outputs inform specific management actions, is demonstrated by predictive classifiers and recommendation tools that translate forecasts into actionable strategies for recycling and diversion [11]. The broader methodological repertoire includes AI/ML models that forecast generation and optimize outcomes, bolstered by advancements in edge computing and IoT-enabled analytics that support real-time decision making in waste systems. In parallel, optimization methods embedded in predictive frameworks such as location–allocation and route planning guided by predictive insights, show how forecasted waste generation can drive infrastructure siting and collection planning to minimize environmental impacts and improve circularity [14]. Together, these sources depict predictive waste reduction models as end-to-end systems: data-driven forecasts that feed optimization and prescriptive recommendations to advance sustainable waste management in a data-driven economy [10], [8], [11].

© 2026 The Author(s)
This work is licensed under a Creative Commons Attribution-ShareAlike 4.0 International License
ISSN: 3110-1577

2.2. Big Data Analytics: From Descriptive to Prescriptive Insights

The evolution of analytics in waste management follows a continuum from descriptive to prescriptive insights, a progression that is discussed in the literature on data-driven circular economy practices [15]. Descriptive analytics aggregates historical waste-generation data from municipal records and sensor networks to establish baseline patterns, while diagnostic analytics examines the drivers of observed trends such as seasonal variation, process inefficiencies, or contamination events, through data fusion and cause-effect analysis [16]. Building on these foundations, predictive analytics uses machine learning and time-series methods to forecast future waste generation, composition, and systemic bottlenecks, enabling proactive planning and capacity sizing [17]. Prescriptive analytics then translates these forecasts into concrete actions, optimizing collection routes, scheduling, and material flows to minimize environmental footprints and maximize resource recovery [11]

Big data analytics in waste management increasingly leverages IoT, AI, GIS, and edge computing to convert streaming observations into actionable prescriptions for operators and policymakers [18]. Empirical work demonstrates that integrating predictive and prescriptive components yields tangible benefits, including improved routing efficiency, enhanced recycling performance, and reduced emissions across municipal and industrial settings [11]. Real-world deployments, ranging from AI-enabled waste classification and smart bins to secure data processing with blockchain and IoT integration, illustrate how end-to-end data-driven workflows support decision-making that closes loops in the circular economy [19]. Collectively, these developments show how big data analytics elevates waste management from descriptive reporting to prescriptive governance in a data-driven economy [15]. Figure 1 shown the analytics maturity pipeline for waste reduction outcomes.



Figure 1. Analytics Maturity Pipeline for Waste Reduction Outcomes

Figure 1 shows analytics progression from descriptive to prescriptive stages, with inputs, outputs, and actions defined per stage. It links predictive outputs to routing, facility planning, diversion, and contamination control.

2.3. Key Enablers: IoT, AI, and Cloud Computing

IoT devices, including smart waste bins and RFID-capable sensing ecosystems, generate granular waste data in real time by streaming container levels, fill rates, and environmental conditions into centralized platforms [1], [2], [3]. These data streams are compounded by diverse sensor modalities and networked devices that collectively support continuous monitoring and data-driven decision making in urban waste infrastructures [3], with real-time visibility into collection needs and material flows enabling more responsive operations [1], [2]. The data foundation provided by IoT is further amplified by cloud-enabled architectures that offer scalable storage, on-demand compute, and seamless integration across multiple cities and industrial contexts, thereby supporting dynamic modelling and scenario analysis at scale [4], [5].

AI techniques process and learn from these expansive datasets to uncover patterns that exceed human capacity, supporting accurate forecasting of generation, contamination events, and recycling performance, as demonstrated by deep learning-based waste forecasting and AI-driven sorting applications [7], [20], [6]. When coupled with IoT data, AI enables predictive analytics that anticipate surges and inefficiencies, while prescriptive components translate forecasts into concrete operational actions such as optimized routes and targeted material flows to minimize environmental footprints and maximize resource recovery [6], [20], [7], [3]. The scalability and flexibility of cloud computing underpin these analytics by enabling end-to-end workflows, from data ingestion and model training to deployment and monitoring, across large geographic scales, as evidenced in cloud-based predictive analytics for smart-city waste management and related IoT-AI-cloud integrations [5], [4]. Collectively, these enablers-IoT for granular data capture, AI for advanced pattern

© 2026 The Author(s)
This work is licensed under a Creative Commons Attribution-ShareAlike 4.0 International License
ISSN: 3110-1577

discovery, and cloud platforms for scalable orchestration, render modern waste systems capable of transitioning from reactive to proactive, data-driven governance [4], [5], [7], [1].

3. Data Sources and Analytical Frameworks

3.1. Primary Data Streams: Smart Bins, Sensors, and Supply Chain Data

Smart bins equipped with fill-level sensors, weight sensors, and RFID tags provide high-resolution, time-stamped data on waste generation, container fill status, and material identity, enabling near real-time visibility into city waste dynamics [1], [2], [3]. These IoT-enabled data streams, derived from interconnected sensing networks, support continuous monitoring, anomaly detection and timely decision-making for collection scheduling and routing, underpinning more responsive and efficient waste management operations [3]. The integration of these granular data streams with cloud-based processing platforms further enhances ingestion, storage, and scalable analytics across urban contexts [3], [1], [2].

Beyond municipal streams, supply chain data capture data on raw material use, by-products, and disposal streams, which are critical for industrial waste modelling and circular economy planning. IoT-enabled sensing across supply chains, encompassing inventory, material movement, and process outputs, when coupled with cloud analytics, enables end-to-end visibility of material flows and supports predictive forecasting of waste generation across sectors and diversion opportunities [4], [5]. This data complements traditional municipal waste data and facilitates integrated, scale-ready waste-to-resource strategies in both urban and industrial settings [4], [5].

3.2. Secondary Data: Social-Media, Consumer Behaviour, Weather, and Geospatial Inputs

Beyond operational sensors, external data streams such as social media signals and consumer-behaviour data enrich predictive waste modelling by capturing exogenous drivers of waste generation. Social media data can forecast consumer-driven waste spikes by revealing online intentions and engagement patterns that precede actual consumption, a pattern documented in studies of food-waste prevention behaviour and related consumer signaling [21]. Empirical work further demonstrates that incorporating these signals with traditional waste data enhances forecast accuracy and supports proactive interventions aimed at reducing waste, improving diversion, and guiding targeted campaigns [21].

Secondary data sources also extend to weather and geospatial inputs, which provide essential context for predictive frameworks. Weather information informs seasonal variations in waste generation and collection demand, while geospatial data enable location-specific optimization of logistics, routing, and siting decisions. GIS-enabled studies and city-scale analytics illustrate tangible gains when external signals are integrated with IoT and cloud-based analytics in waste management [22]. Taken together, social media, consumer-behaviour metrics, weather, and geospatial inputs complement primary sensor streams to support end-to-end, data-driven waste governance at urban and industrial scales [22]. Table 1 shown the data sources mapped to waste streams, targets, and decision points.

Table 1. Data Sources Mapped to Waste Streams, Targets, and Decision Points

Data type	Waste stream	Predicted target	Decision supported	Update frequency	Key risk
Smart bins sensor-equipped	Municipal solid waste	Fill level, collection demand	Dynamic collection scheduling, bin servicing priority	Minutes to hourly	Sensor drift, coverage gaps
Fill-level sensors	Municipal solid waste, recycling bins	Overflow risk, time-to-full	Route resequencing, overflow prevention	Minutes to hourly	Calibration error, missing data
Weight sensors	Municipal and industrial waste	Mass accumulation rate, load forecast	Vehicle capacity planning, dispatch balancing	Hourly to daily	Scale bias, tampering
RFID tags	Industrial, healthcare, regulated streams	Traceable volume by source, contamination flags	Chain-of-custody control, segregation enforcement	Event-driven	Privacy, tag loss
Supply chain logs	Food and packaging waste	Surplus risk, expiry-driven waste	Inventory policy, redistribution planning	Daily to weekly	Data fragmentation, delayed reporting
Weather data	Municipal and food waste	Seasonal volume shifts, odor risk	Crew allocation, route time buffering	Daily	Local microclimate mismatch
Geospatial layers	Municipal and industrial waste	Hotspot formation, access constraints	Facility siting, zone-based routing	Monthly to quarterly	Outdated maps, bias in coverage

© 2026 The Author(s)
This work is licensed under a Creative Commons Attribution-ShareAlike 4.0 International License
ISSN: 3110-1577

Data type	Waste stream	Predicted target	Decision supported	Update frequency	Key risk
Social media and consumer signals	Municipal and food waste	Event-driven spikes, complaint likelihood	Surge response, contamination messaging	Hours to daily	Noise, representativeness bias
Facility throughput logs	MRF, recycling, landfill operations	Queue buildup, processing capacity	Gate control, line balancing, diversion planning	Hourly to daily	Inconsistent logging, downtime gaps
Hospital service data	Healthcare waste	Infectious waste volume, pickup timing	Compliance scheduling, risk-based collection	Daily	Confidentiality, under-reporting

Table 1 maps each data source to waste stream, forecast target, operational decision, update rate, and risk. It clarifies data requirements for reliable predictions and highlights governance issues affecting implementation.

3.3. Data Fusion and Integration Challenges

Integrating heterogeneous data sources in predictive waste analytics remains technically challenging due to divergent data formats, varying quality, and mismatched temporal and spatial granularity. Fusion techniques must achieve interoperability across IoT streams, supply-chain records, social media, and weather data while avoiding redundancy, data silos, and inconsistencies that can erode model accuracy [23]. Practical data-quality concerns such as denoising, outlier handling, and missing-value imputation, are central to reliable fusion and are actively addressed by adaptive weighting and fusion methods that quantify reliability and guide integration decisions [23]. Moreover, multi-sensor fusion across IoT devices and auxiliary sources benefits from calibration methods that harmonize sensor biases and environmental effects, thereby improving the fidelity of the fused signal used for predictive modelling [24].

To operationalize robust fusion, researchers are advancing end-to-end architectures that blend IoT with distributed ledger technologies and advanced data-pipeline techniques. Spatiotemporal data fusion approaches enable real-time aggregation of IoT streams with big-data analytics while maintaining data expiry and trustworthiness for governance at city scales [25]. Blockchain-enabled data integrity and interoperability frameworks offer traceability and secure data exchange across disparate sources, helping to prevent data fragmentation and ensure consistent, auditable inputs for predictive models [26], [27]. Complementary work demonstrates how secure, AI-enabled fusion architectures can jointly handle IoT data fusion with cloud and edge processing, supporting scalable waste analytics while preserving data privacy and security. Collectively, these efforts illustrate the central challenge and the evolving toolkit for data fusion and integration in data-driven waste management systems [23], [26], [27].

3.4. Big Data Platforms and Architectures for Waste Analytics

Modern waste analytics rely on distributed platforms such as Hadoop, Spark, and cloud-native architectures to manage the growing data volumes generated by IoT sensors, supply chains, and external datasets. These platforms enable scalable ingestion, processing, and storage of large volumes of structured and unstructured data, supporting both batch and streaming analytics essential for real-time waste governance. Cloud-native architectures further enhance flexibility and scalability, enabling real-time processing and on-demand resource provisioning across city-scale deployments and multi-actor ecosystems. Additionally, cloud-enabled analytics and emerging cloud-native graph processing capabilities extend end-to-end pipelines for predictive and prescriptive waste management [28], while cloud-based approaches can accommodate diverse data modalities such as video and sensor streams [29].

In practice, these platforms facilitate end-to-end workflows from data ingestion and storage to model deployment and decision support. Distributed frameworks enable scalable analytics over heterogeneous data sources, allowing predictive models for routing, forecasting generation and contamination, and prescriptive actions for optimized resource use, all within cloud-native environments that support rapid iteration and governance at scale. The ability to process large-scale, multi-modal data structured logs, sensor streams, and unstructured media in a unified, scalable architecture underpins advanced waste analytics and supports the transition to data-driven, sustainable waste management across urban and industrial contexts [28].

4. Predictive Modelling Approaches

4.1. Machine Learning Techniques

Regression models predict waste generation based on historical and demographic factors, a capability demonstrated in studies comparing regression-based approaches with artificial neural networks ANNs for municipal solid waste MSW forecasting [30]. Tree-based models, including random forests and decision trees, are adept at capturing nonlinear relationships in waste data and have been applied to demolition and mixed-

© 2026 The Author(s)
This work is licensed under a Creative Commons Attribution-ShareAlike 4.0 International License
ISSN: 3110-1577

waste contexts to improve forecast accuracy [13]. Neural networks offer powerful pattern recognition for complex, high-dimensional waste streams, with extensive demonstrations in municipal, hospitality, and construction waste generation modelling using ANNs and related deep architectures [10]. While neural networks can achieve high accuracy, they typically require substantial training data to learn intricate relationships and generalize well to unseen contexts [10].

Empirical evidence across diverse waste streams indicates that regression, tree-based, and neural network techniques each deliver strengths depending on data richness and problem framing. For example, comparisons of support vector regression SVR and ANN highlight that no single method universally outperforms others, context, data quality, and variable selection govern success [30]. Studies focusing on hospitality and mixed waste demonstrate that neural networks often outperform linear models when nonlinearities are prominent, whereas regression and tree-based methods can offer robust performances with smaller datasets in certain contexts [31]. Consequently, hybrid and ensemble approaches, combining regression, tree-based, and neural components or integrating auxiliary data streams are increasingly explored to enhance predictive accuracy and generalizability across urban and industrial waste systems [32]. Ultimately, selecting a machine learning technique for predictive waste analytics should align with data availability, granularity, and the trade-offs among interpretability, computational requirements, and predictive performance [32].

4.2. Time-Series Forecasting for Waste Generation Trends

Time-series forecasting in waste management employs various techniques to capture temporal patterns such as seasonality, trend, and urban growth. In practical municipal solid waste MSW forecasting studies, traditional statistical methods like ARIMA and exponential smoothing provide robust baselines, especially when data are limited or when seasonality is well-behaved. However, their performance can depend on variable selection and data characteristics [32]. Complementary evidence indicates that nonlinear models especially artificial neural networks ANNs, often achieve higher accuracy in forecasting waste generation when seasonal and non-linear relationships are present. This is supported by comparative analyses of regression versus ANN approaches for municipal solid waste and related streams [31], [10]. These findings align with broader time-series practice where hybrid models e.g., ARIMA combined with recurrent neural networks RNNs are explored to address multiple seasonality and complex dynamics, indicating a promising direction for waste forecasting in data-rich environments [33]. Together, these studies confirm that ARIMA, exponential smoothing, and RNNs each provide important advantages for temporal waste trend modelling, depending on the richness of the data and the context [32], [31], [10].

Looking forward, researchers are increasingly favoring ensemble and hybrid approaches that combine linear models with nonlinear learners to enhance predictive accuracy and generalizability across urban and industrial contexts [32], [31]. For instance, methods that integrate ARIMA or Holt-Winters with RNN variants demonstrate ways to address multi-seasonality and non-stationarity in real-time, which can be effectively applied to waste systems with diverse data sources [33]. Moreover, studies show that LSTM-based models can outperform traditional ARIMA in complex, high-dimensional time series, providing strong justification for incorporating RNNs in waste forecasting, especially when sufficient training data is available [34]. Consequently, the choice among ARIMA, exponential smoothing, single- or multi-step RNNs, or hybrid models should be informed by data volume, seasonal structure, and the required balance between interpretability and predictive accuracy in waste analytics [32], [31], [10].

4.3. Optimization Models for Waste Collection and Routing

Mathematical optimization and heuristic models are central to reducing costs and environmental impact in waste collection, with vehicle routing problem VRP formulations being pivotal to these efforts. These approaches aim to minimize travel distance, fuel consumption, and operating costs by incorporating capacity constraints, time windows, and depot structures, thereby enhancing fleet efficiency and service levels. In practice, metaheuristics such as genetic algorithms and swarm intelligence techniques are often employed to navigate the combinatorial search spaces inherent in dense urban networks, enabling scalable solutions where exact solvers may be infeasible [35]. The inclusion of real-world features such as time windows and multiple vehicle types, further underscores the importance of robust VRP variants to effectively address uncertainties in demand and traffic conditions.

Incorporating traffic data into routing models significantly improves prediction accuracy and the feasibility of planned routes. Data-driven traffic engineering facilitated by the Internet of Vehicles IoV provides situational awareness that supports dynamic rerouting and schedule adjustments, which can reduce latency and fuel consumption while maintaining service reliability [35]. Empirical evidence shows that traffic-aware optimization can yield substantial improvements in fleet utilization and emissions, especially when routing decisions are updated in response to observed congestion or incidents [21]. Therefore, modern waste-collection optimization increasingly adapts a data-rich, traffic-informed paradigm that integrates mathematical programming with heuristic search methods to deliver scalable, city-level routing solutions [36].

© 2026 The Author(s)
This work is licensed under a Creative Commons Attribution-ShareAlike 4.0 International License
ISSN: 3110-1577

4.4. Hybrid Approaches

Hybrid modelling: Combining machine learning with simulation and domain expertise is increasingly recognized as a robust paradigm for predictive waste analytics because it captures both statistical patterns and operational realities that pure data-driven or physics-based models alone may miss [37]. In municipal solid waste contexts, hybrid ML-optimization approaches have demonstrated tangible gains by coupling predictive components with mathematical programming to optimize collection, routing, and processing under uncertainty, including during pandemic conditions [38]. Beyond waste logistics, the emergence of hybrid twins, integrating ML with physics-based simulations for long-term monitoring and forecasting in complex waste facilities, illustrates how data-driven insights can be grounded in domain-specific process knowledge [39]. Studies applying hybrid simulation to recycling and life-cycle assessment further show how material-flow considerations can be integrated with predictive analyses to evaluate and improve recycling configurations, including distributed versus centralized systems [40]. Cross-domain evidence from agriculture reinforces the generalizability of combining domain models with ML to improve predictive performance in complex systems.

These hybrid approaches are particularly well suited to integrate material flow analysis with predictive algorithms to enhance recycling efficiency and overall circularity. By aligning material balances and process constraints with data-driven forecasts, hybrid models can identify bottlenecks, optimize throughput, and inform asset and routing decisions across urban and industrial contexts [40], [38]. The integration of domain knowledge from process dynamics to system constraints reduces the risk of spurious correlations and enhances interpretability, enabling decision-makers to trust and act on model outputs [37]. Collectively, hybrid ML-simulation frameworks hold promise for resilient, data-driven waste management that advances sustainability goals while accommodating real-world operational complexities [39], [38]. Table 2 shown the modelling approach selection matrix for waste forecasting and optimization.

Table 2. Modelling Approach Selection Matrix for Waste Forecasting and Optimization

Approach	Task fit	Data need	Interpretability level	Compute demand	Real-time readiness	Typical output	Deployment note
Regression	Baseline volume forecasting, drivers	Low to medium	High	Low	High	Point forecasts, elasticities	Good for policy reporting and quick baselines
Tree-based models	Nonlinear drivers, mixed features	Medium	Medium	Medium	Medium	Forecasts, feature importance	Robust to missingness with careful imputation
Neural networks	Complex patterns, multivariate signals	High	Low	High	Medium	Forecasts, embeddings	Needs monitoring for drift and stability
ARIMA	Seasonal univariate series	Low to medium	High	Low	High	Seasonal forecasts	Works best with stable seasonality
Exponential smoothing	Short-horizon stable demand	Low	High	Low	High	Smoothed forecasts	Strong for fast deployment and limited data
RNN and LSTM	Temporal dynamics, event effects	High	Low	High	Medium	Sequence forecasts	Benefits from digital traces and sensors
VRP optimization	Routing, fleet allocation	Medium	Medium	High	Medium	Routes, schedules	Requires constraints and service rules
Metaheuristics	Large combinatorial routing, siting	Medium	Low to medium	Medium to high	Medium	Near-optimal solutions	Sensitive to tuning and stopping criteria
Hybrid ML plus simulation plus digital twins	End-to-end planning under uncertainty	High	Medium	High	Medium	Policies, what-if outcomes	Supports validation and safe policy testing

As shown in Table 2, the matrix table compares modelling options by task suitability, data demand, interpretability, compute needs, real-time feasibility, outputs, and deployment notes. It supports method selection aligned with forecasting, routing, and planning.

© 2026 The Author(s)
This work is licensed under a Creative Commons Attribution-ShareAlike 4.0 International License
ISSN: 3110-1577

5. Applications in Waste Reduction

5.1. Municipal Solid Waste: Smart City Initiatives

Smart cities increasingly deploy predictive models to optimize collection frequency, reduce landfill reliance, and improve recycling rates. IoT-enabled bins with AI-powered collection scheduling provide real-time visibility that enables dynamic routing and adaptive pickup frequencies across districts. This capability has been demonstrated in various IoT-based waste management implementations, suggesting significant improvements to waste collection strategies. The literature shows that such predictive systems can enhance diversion performance and overall resource efficiency, contributing to reduced landfill dependency and higher recycling rates in municipal contexts [41].

Realizing these benefits requires robust data governance and interoperable architectures to handle multi-source data streams from sensors, weather, social signals, and logistics. Research has emphasized the importance of city-scale waste analytics integrating IoT data with AI and cloud processing to ensure data quality, security, and scalable decision support for waste planning and operations [41]. By combining predictive insights with domain knowledge and governance frameworks, smart city initiatives can deliver sustained improvements in municipal solid waste management, supporting more resilient, circular urban systems [41].

5.2. Industrial and Manufacturing Waste Minimization

Predictive analytics in industrial settings concentrates on identifying production inefficiencies, forecasting by-product volumes, and minimizing hazardous outputs by fusing machine learning with physics- or process-based models. This integration is advocated in the literature as a robust approach for engineering systems, where hybrid ML–physics frameworks improve predictive accuracy while respecting real-world constraints [37], [38]. The deployment of digital twins of manufacturing plants further enables real-time environmental performance assessment, facilitating continuous monitoring, scenario testing, and proactive interventions to reduce emissions, energy use, and hazardous outputs [39]. On this basis, hybrid modelling supports decision-makers in targeting waste minimization opportunities within industrial operations [37], [38], [39]. In parallel, hybrid simulation and optimization approaches demonstrate how predictive insights can drive more sustainable process configurations, recycling pathways, and lifecycle improvements in industry sectors such as plastics and other manufacturing streams [40], [38].

These hybrid approaches illustrate how material-flow awareness can be embedded with predictive algorithms to enhance industrial waste minimization. For example, hybrid ML–optimization strategies have proven effective in municipal and industrial waste contexts, informing production scheduling, by-product handling, and reverse logistics under uncertainty [38]. Simultaneously, hybrid simulation modelling applied to lifecycle assessment of recycling systems shows how material flows and processing constraints can be jointly evaluated to improve circularity and reduce environmental footprints [40]. The emergence of hybrid twins combining machine learning with physical simulations for monitoring and forecasting demonstrates the potential for long-term environmental performance tracking within manufacturing plants [39]. Collectively, these studies underscore the value of integrating predictive analytics with digital twins and domain knowledge to realize tangible reductions in industrial waste and hazardous outputs [37], [38], [39], [40].

5.3. Food Supply Chains and Food Waste Forecasting

Food waste, a significant contributor to global greenhouse gas emissions, can be mitigated through predictive demand forecasting, shelf-life prediction, and supply chain optimization. These forecasting tasks are increasingly enabled by AI-driven analytics that optimize inventory, reduce spoilage, and improve product freshness across food systems [42]. The COVID-19 pandemic underscored the vulnerability of food markets and supply chains, highlighting the need for resilient forecasting and adaptive strategies to buffer disruptions and limit waste [74]. In this context, predictive approaches integrating demand signals with shelf-life dynamics and logistical constraints can lead to substantial waste reductions for both retailers and manufacturers [42].

Retailers are increasingly deploying AI-driven demand models to mitigate overstocking and spoilage by aligning procurement with actual consumer demand and product shelf-life limits [42]. When combined with shelf-life analytics and supply chain optimization, these models can significantly decrease food waste and the associated greenhouse gas emissions, thus advancing circular economy objectives within the food sector [42]. Empirical insights from AI-enabled food manufacturing suggest that data-driven waste-reduction strategies which include forecasting, inventory control, and end-to-end visibility contribute to more sustainable operations and improved overall efficiency across the supply chain [42].

5.4. Healthcare and Hazardous Waste Prediction

Hospitals generate diverse waste streams, including hazardous materials, which necessitate predictive approaches to anticipate generation rates, ensure compliance with safety standards, and optimize treatment and disposal logistics [43]. Empirical work across multiple settings shows that healthcare waste generation is

© 2026 The Author(s)
This work is licensed under a Creative Commons Attribution-ShareAlike 4.0 International License
ISSN: 3110-1577

closely linked to hospital characteristics, service mix, and patient flows, enabling forecasts of waste quantities and associated costs that inform budgeting and capacity planning. Studies focused on medical waste management demonstrate how predictive analytics can quantify drivers of waste generation and support sustainable governance by aligning waste handling with regulatory requirements and environmental objectives [13]. In addition, research on healthcare waste types such as chemical and solid medical waste highlights the value of tailored predictive models for specific waste streams to improve compliance and minimize risk.

The utility of predictive modelling in healthcare waste extends to operational optimization and safety assurance, where data-driven forecasts guide treatment sequencing, storage, and disposal logistics, reducing environmental impact and enhancing regulatory adherence [34]. The integration of AI-based predictive analytics with hospital waste-management practices and IoT-enabled monitoring enables real-time visibility into waste generation and flow, supporting proactive interventions and safer waste handling. Cross-cutting evidence from healthcare analytics literature further reinforces that predictive models when grounded in domain knowledge and appropriate governance can drive more sustainable healthcare waste management by forecasting hazardous outputs, informing preventive measures, and enabling efficient allocation of treatment resources.

6. Benefits and Performance Metrics

6.1. Cost Reduction and Resource Optimization

Predictive analytics reduces operational costs by optimizing collection frequency, minimizing fleet usage, and streamlining treatment processes. Empirical evidence supports substantial cost savings from predictive routing and dynamic collection scheduling, particularly through reductions in total travel distances and fuel consumption in urban waste networks [44]. Furthermore, forecasting container fill levels using IoT-enabled systems, such as predictive bin fill level models, allows for fewer, more productive collection trips, which directly decreases labour and vehicle costs while maintaining service quality [45]. Across both municipal and industrial contexts, AI-driven optimization of waste collection and logistics has shown significant reductions in fleet utilization and operating expenses, highlighting the economic benefits of data-informed scheduling and routing [46].

These cost advantages also extend to downstream processing and treatment, where predictive insights enable improved sequencing, capacity allocation, and resource utilization at treatment facilities and recycling streams [46], [47]. Real-world implementations indicate that predictive analytics when integrated with IoT and cloud-based workflows result in measurable efficiency gains, including reduced processing costs and energy use through smarter throughput planning [48], [49]. Additionally, leveraging predictive models to anticipate waste generation and adjust treatment logistics supports cost containment across the entire waste-management value chain, from collection to processing and disposal [47]. Collectively, these outcomes illustrate that predictive analytics can deliver sustained cost reductions and more efficient resource use by optimizing both collection operations and waste decision processes.

6.2. Environmental Impact

Predictive analytics reduce environmental impact by diverting waste from landfills through optimized collection frequency and routing, which minimizes travel distances, fuel consumption, and associated greenhouse gas emissions [44]. Forecasting waste generation and fill levels enables consolidation of pickups and avoidance of unnecessary trips, thereby reducing landfill reliance and enhancing diversion to recycling and treatment streams [47]. When these predictive insights are coupled with IoT-enabled sensing and AI-driven routing in urban networks, they yield measurable environmental benefits, including substantial reductions in emissions and improved resource efficiency [46], [49].

Further environmental gains arise from using predictive models to optimize treatment sequencing and material flows, enabling more efficient recycling and energy recovery while reducing landfill disposal and related emissions [46], [44]. Real-world deployments in smart-city contexts demonstrate that predictive waste analytics integrated with cloud processing and data-driven decision support can lower greenhouse gas emissions and increase diversion rates, contributing to broader sustainability goals [48], [49], [46]. Collectively, these environmental outcomes illustrate how predictive analytics support a transition to low-emission, resource-efficient waste systems by aligning collection operations with downstream treatment and circular-economy objectives [44], [47], [46], [49].

6.3. Service Efficiency

Enhanced collection scheduling improves service reliability in urban waste networks by delivering real-time visibility into pickup windows and enabling adaptive routing across districts. This is demonstrated in IoT-enabled smart-city deployments where dynamic routing and prioritized collections improve punctuality and service consistency, and in studies highlighting that ML-driven routing optimization, paired with IoT data,

© 2026 The Author(s)
This work is licensed under a Creative Commons Attribution-ShareAlike 4.0 International License
ISSN: 3110-1577

reduces operational disruptions and supports more predictable service levels [46]. Robust scheduling frameworks also contribute to lower customer complaints, as residents experience fewer missed pickups and more transparent service expectations, a pattern observed in city-scale implementations that couple sensing with predictive decision support [49], [14]. Moreover, optimizing labour allocation through demand-aligned crew shifts and route-aware assignments enhances workforce productivity and reduces overtime, as evidenced by urban waste-management analyses that link predictive scheduling with more efficient resource use [46], Muchinapal [14].

Beyond reliability, AI-enabled scheduling and routing capabilities support scalable labour management across multiple depots and fleets, yielding smoother operations and improved customer experiences. When integrated with digital twins, simulation models, and cloud-based decision supports, these systems enable proactive contingency planning and rapid adaptation to disturbances, further boosting labour efficiency and service reliability in municipal contexts [50]. Empirical evidence from urban waste initiatives indicates that AI-driven predictive analytics can optimize both collection frequency and route allocation, translating into tangible gains in labour utilization and service performance without compromising coverage or timeliness [46], [50]. Collectively, these advances illustrate how predictive analytics-driven scheduling and routing enhance service efficiency by aligning operational tempo with dynamic demand while supporting scalable, city-wide waste management strategies [49], [50].

6.4. Social Outcomes and Stakeholder Engagement

Transparent, data-driven waste management fosters citizen trust and encourages behavioral change by enabling open access to information and clear visibility into policy choices and outcomes [51]. When waste systems deploy auditable data practices such as blockchain-enabled tracking and AI-powered governance the resulting transparency reduces information asymmetries and strengthens accountability, which in turn reinforces public confidence in urban waste initiatives [52]. Public-facing dashboards and open-data initiatives further enhance perceived legitimacy and stimulate citizen engagement in municipal programs, supporting more effective co-management of waste services [19].

Community engagement is strengthened when waste-reduction outcomes are measurable and visible through transparent reporting and regular communication of progress. Research on citizen involvement in waste governance shows that inclusive, transparent processes underpinned by accessible data and participatory decision-making build trust and encourage ongoing participation [53]. Social capital cultivated through community waste banks and local sustainability initiatives fosters sustained engagement and pro-environmental behavior, particularly when governance structures ensure accountability and clear, verifiable results [54]. Moreover, the broader literature on digital governance emphasizes that transparent information sharing and participatory mechanisms enhance public trust and willingness to engage with waste programs, especially where data-driven platforms enable citizen oversight and collaborative decision-making [34]. **Figure** 2 shown the FKPI dashboard chart for benefits and performance metrics.



Figure 2. FKPI Dashboard Chart for Benefits and Performance Metrics

Figure 2 is a chart that summarizes KPI improvements from predictive deployment across cost, resource use, environmental impact, service efficiency, and transparency. It provides an evaluation template using normalized indicators for operational tracking and reporting.

© 2026 The Author(s)
This work is licensed under a Creative Commons Attribution-ShareAlike 4.0 International License
ISSN: 3110-1577

7. Challenges and Limitations

7.1. Data Quality, Availability, and Interoperability

Incomplete or inaccurate datasets undermine predictive accuracy in waste analytics, as dirty data, missing values, mislabeling, and sensor noise propagate through predictive models and degrade performance. In IoT-enabled waste systems, heterogeneous data streams from sensors, supply chains, and external feeds require robust data cleaning, validation, and quality assessment pipelines to sustain reliability, a need documented in IoT data quality frameworks and fusion research [23]. Multisensory data fusion further demands calibration to mitigate cross-sensor biases and environmental effects, ensuring higher fidelity signals for modelling rather than ad hoc aggregations [55]. To preserve data integrity across distributed environments, blockchain- or deep learning-backed data integrity frameworks are increasingly proposed to provide auditable provenance and tamper resistance, supporting interoperability and stakeholder trust in data exchanges [26], [27].

Standardization across data streams remains limited, largely due to divergent formats, schemas, and provenance across IoT devices, logistics data, and external datasets, which hampers interoperability and model portability [27]. Addressing this bottleneck requires governance constructs and interoperable data models, including common ontologies, data provenance mechanisms, and open interfaces, complemented by end-to-end pipelines that monitor data quality and enforce consistency across sources [23], [26], [27]. Advancing interoperability also involves leveraging fusion approaches and secure data-sharing architectures that preserve data integrity, trust, and privacy while enabling scalable analytics across cities and industries [56]. Ultimately, overcoming data-quality and interoperability challenges is essential to realize reliable, scalable predictive waste analytics in a data-driven economy [23], [26].

7.2. Scalability and Computational Costs

Large-scale, real-time predictive analytics for waste management demand substantial computational infrastructure, including scalable storage, high-throughput processing, and low-latency inference, which can pose a barrier for smaller municipalities or firms with limited budgets and technical capacity. Cloud-native architectures offer elastic compute and on-demand resource provisioning to support city-scale analytics and rapid deployment of predictive models across multiple actors, but ongoing operating costs and data governance requirements can constrain adoption for smaller entities [48]. While edge computing can alleviate data-transfer and latency challenges by processing data near the source, it also introduces deployment and maintenance complexities across distributed sensor networks and municipal operations [48].

To address these scalability challenges, many researchers advocate shared cloud services, data collaboratives, and public–private partnerships to achieve economies of scale and broaden access to advanced analytics for smaller jurisdictions [9]. However, realizing these benefits requires robust interoperability standards, governance frameworks, and data-provenance mechanisms to prevent vendor lock-in and ensure trustworthy data exchanges across heterogeneous streams [9]. The ongoing evolution toward digital twins, cloud-native pipelines, and AI-enabled orchestration suggests a feasible path for scalable waste analytics provided policy support, investment in digital infrastructure, and stakeholder collaboration align with the capabilities of diverse municipalities.

7.3. Ethical and Privacy Concerns

Data drawn from households and consumer behavior fuels predictive waste analytics but raises pressing privacy concerns, including the potential inference of personal habits, locations, and routines from waste-generation signals collected by smart-city sensors and apps [57]. The literature on smart cities consistently highlights that privacy risks intensify when data streams originate from individuals or households, necessitating careful consideration of who can access data, for what purposes, and under what controls, to prevent misuse and re-identification [24]. These concerns are further amplified when governance gaps exist in data provenance, consent management, and transparent data practices, underscoring the need for privacy-preserving design and accountable data stewardship in urban waste analytics [17].

To address these ethical and privacy challenges, governance mechanisms must ensure ethical data use and regulatory compliance, including GDPR-like protections for privacy, data minimization, and purpose limitation embedded in system design [58]. Privacy-by-design approaches, auditable data flows, and blockchain-enabled provenance can strengthen accountability and trust while enabling legitimate data sharing across municipalities and stakeholders. Moreover, fostering public engagement and transparent reporting of waste-reduction outcomes helps align stakeholder expectations with privacy safeguards, supporting legitimate and accepted deployment of data-driven waste management programs in smart cities [59].

7.4. Organizational and Policy Barriers

Institutional inertia and fragmented responsibilities within public administrations present persistent barriers to adopting predictive analytics for waste reduction. Digital transformation in the public sector

© 2026 The Author(s)
This work is licensed under a Creative Commons Attribution-ShareAlike 4.0 International License
ISSN: 3110-1577

frequently encounters coordination challenges across ministries and agencies, resistance to change, and misaligned incentives that slow the adoption of interoperable data platforms [43]. The literature on interoperability and governance in smart-city and public-sector contexts emphasizes how dispersed authority and competing agendas can impede data-sharing and integrated decision-making, hindering scalable, cross-jurisdictional waste analytics. These organizational frictions are further amplified by governance gaps in aligning new digital capabilities with existing public mandates, underscoring the need for coherent governance structures and clear accountability across actors.

Policy barriers and budgetary constraints compound organizational challenges, as policy frameworks often lag behind rapid technological advances and the demands of data-driven waste management. The lag between regulation and digital capabilities can create misaligned incentives and ambiguous compliance requirements, complicating data sharing, privacy protections, and interoperability standards in practice. Moreover, budgetary pressures in public administrations constrain the scale-up of pilots, the deployment of shared infrastructure, and the ongoing maintenance of data governance regimes necessary for robust predictive analytics in waste management [43]. To move forward, researchers advocate for interoperable, open-data policies, governance frameworks, and public–private collaborations that can share costs and knowledge while ensuring accountability and trust across diverse stakeholders [59].

8. Future Research Directions

8.1. Real-Time Predictive Analytics with Edge Computing

Edge computing offers a pathway to real-time predictive analytics by enabling edge devices to process data locally, which reduces latency and accelerates decision-making in waste collection and treatment operations. By performing inference directly at sensors, smart bins, and field devices, edge analytics can trigger immediate routing adjustments, dynamic collection scheduling, and near-instantaneous environmental alerts, thereby shortening the feedback loop between data generation and action [60], [61]. This capability is particularly valuable in dense urban contexts where rapid responses to fill-level spikes, contamination events, or facility-side bottlenecks can improve service reliability and resource use without relying on centralized cloud cycles.

Realizing effective edge-enabled waste analytics entails addressing several research challenges, including model compression, energy constraints, and secure deployment across heterogeneous devices. Hybrid architectures that couple lightweight on-device models with cloud-backed optimization can balance latency with global planning, while techniques such as federated learning and edge-to-edge orchestration support privacy and scalability across cities and industries [60], [61]. Additional considerations include data governance, interoperability standards, and robust security to prevent tampering or leakage in distributed edge ecosystems, all of which require coordinated policy and technical solutions as edge deployments scale [60], [61].

8.2. Integration of Circular Economy Principles

Future predictive models should embed circular economy CE strategies directly into the analytics framework, prioritizing reuse, recycling, and remanufacturing over disposal. This can be accomplished by integrating material-flow analysis MFA with predictive algorithms to identify bottlenecks and opportunities for closed loop material streams, as demonstrated in hybrid approaches that compare distributed versus centralized recycling via life-cycle assessment LCA and optimization hybrid ML–simulation for waste systems [40], [38]. In addition, hybrid physics–ML and digital twin paradigms can simulate product lifecycles and facility operations to inform design-for-circularity decisions, improve recycling yields, and enable proactive remanufacturing planning within industrial ecosystems [39], [37]. The CE lens has broad applicability, including food and plastics sectors, where predictive models aligned with CE metrics can guide decisions that reduce disposal and improve valorization pathways [42].

To operationalize CE driven predictive analytics, research should emphasize governance, data interoperability, and stakeholder alignment that enable circular decision-making at scale. This includes developing CE oriented objective functions and constraints within optimization pipelines, fostering data sharing across supply chains, and validating CE benefits through end-to-end performance metrics. Open-data policies, standardized data provenance, and governance frameworks will be essential to maintain trust and ensure accountability as CE targets are integrated into predictive workflows [37], [40], [38], [39]. Moreover, partnerships between academia, industry, and government can catalyze scalable CE deployments by sharing models, data, and best practices, thereby accelerating the transition from disposal-centric to circular waste management paradigms [42].

8.3. Large Language Models for Unstructured Waste Data

Large language models LLMs offer substantial potential to process unstructured waste data such as inspection and incident reports, policy documents, and consumer feedback and expand predictive analytics by translating text into structured signals for forecasting and decision support. Through capabilities like named-

© 2026 The Author(s)
This work is licensed under a Creative Commons Attribution-ShareAlike 4.0 International License
ISSN: 3110-1577

entity recognition for materials and facilities, topic modelling to surface emerging waste streams, sentiment analysis of public feedback, and automatic summarization of complex regulations, LLMs can enrich feature extraction and knowledge integration streams that feed waste-forecasting models [62], [63], [64], [65]. Grounding these capabilities in foundation-model architectures also enables retrieval-augmented generation RAG and cross-source knowledge fusion, which improve fidelity when drawing on diverse regulatory, technical, and community data [66], [67].

However, deploying LLMs for unstructured waste data raises challenges of reliability, privacy, and governance. Hallucinations and domain-mismatch can undermine forecast validity unless outputs are anchored to authoritative waste-management sources via retrieval mechanisms and domain-adaptive fine-tuning [67], [64]. Privacy and ethical considerations require privacy-preserving inference and robust governance frameworks to govern data provenance, consent, and access across municipal and industrial datasets [66]. Future research should emphasize evaluation methodologies tailored to waste contexts, development of secure, auditable data pipelines, and collaborative platforms that balance transparency with data protection, enabling scalable adoption of LLM-assisted analytics across cities and industries [66], [67].

8.4. AI-Driven Policy Simulations and Decision Support

Simulation models augmented by AI offer a powerful avenue to test the environmental and economic consequences of waste-related policy interventions before they are enacted. By combining system dynamics to capture aggregate material and emissions flows with agent-based modelling of households and firms, and coupling these with AI-driven optimization and reinforcement learning to identify robust policy configurations, researchers can explore counterfactual scenarios and uncertainty in a controlled environment [68], [69], [70]. Digital twins of city waste systems further enable high-fidelity, city-scale experimentation that mirrors real-world processes and stakeholder interactions, supporting rapid scenario analysis and policy refinement [71]. Grounding these simulations in causal inference principles helps ensure that predicted impacts reflect plausible cause–effect relationships rather than spurious correlations [72]. Together, these approaches illuminate how environmental outcomes and economic metrics shift under different regulatory designs, subsidy schemes, and infrastructure investments [68], [72].

Realizing AI-driven policy simulations in practice requires attention to transparency, interpretability, and governance. Policymaker's demand models whose assumptions and outcomes can be traced and challenged, which motivates integrating interpretable AI techniques and human-in-the-loop decision processes [73]. Ensuring data provenance, privacy, and accountability across multi-actor simulations is essential to maintain public trust and legitimacy when scaling pilot results to broader jurisdictions [73]. Further, methodological rigor robust validation, out-of-sample testing, and explicit uncertainty quantification will be critical to avoid overconfidence in recommended policies. As computational capabilities evolve, an ecosystem of open simulation frameworks, shared datasets, and governance standards will support collaborative, evidence-based policy design that accelerates toward sustainable, data-driven waste management [68], [69], [71].

9. Conclusion

9.1. Summary of Findings

Waste generation continues to rise across municipal, industrial, food, and healthcare systems. Linear collection and disposal practices struggle under growing volumes, rising costs, and tightening environmental expectations. Predictive analytics provides a decision foundation for waste reduction under these constraints. Forecasting models estimate waste volume, seasonality, and composition using historical records and streaming signals from smart bins, RFID systems, sensors, supply chain logs, geospatial layers, weather inputs, and consumer signals. These forecasts support earlier capacity planning, targeted prevention, and better allocation of vehicles, crews, and treatment resources. Predictive outputs gain operational value when paired with prescriptive components. Routing and collection optimization translate predicted demand into schedule and route decisions that reduce distance, fuel use, and missed pickups. Hybrid approaches strengthen reliability by linking machine learning with simulation, digital twins, and domain constraints, which reduces spurious patterns and improves decision credibility. Application evidence across smart cities, manufacturing waste minimization, food supply chains, and hazardous healthcare waste indicates consistent performance goals. These goals include cost reduction, higher diversion and recycling performance, lower emissions, improved service reliability, and stronger transparency for stakeholders.

9.2. Implications for Policymakers, Researchers, and Practitioners

Policymakers should prioritize governance structures that make predictive waste systems workable at scale. Data standards, shared schemas, and interoperable platforms reduce fragmentation across agencies and vendors. Clear rules for privacy, consent, access control, and auditability protect household and business data while supporting legitimate analytics. Investment priorities should focus on sensing coverage, data quality

© 2026 The Author(s)
This work is licensed under a Creative Commons Attribution-ShareAlike 4.0 International License
ISSN: 3110-1577

pipelines, and shared compute infrastructure for municipalities with limited capacity. Public procurement should require model monitoring, documentation, and performance reporting using common metrics.

Researchers should advance methods that handle heterogeneity, sparse labels, and shifting behavior patterns. Hybrid modelling that combines forecasting with optimization and simulation should remain central, with strong validation on real operational constraints. Edge-enabled inference and federated training should receive sustained attention to reduce latency and support multi-city scaling. Interpretability should improve across high-capacity models through decision-trace reporting and feature-level explanations aligned with operational levers. Evaluation should extend beyond accuracy to include cost, emissions, service level, robustness under disruptions, and fairness across districts.

Practitioners should treat predictive analytics as an operational system rather than a standalone model. High-quality data capture, routine calibration, and continuous monitoring should precede full rollout. Deployment should start with high-impact use cases such as fill-level prediction, dynamic collection scheduling, traffic-aware routing, contamination risk prediction, and facility throughput forecasting. Operational teams should align model outputs with clear action rules, escalation thresholds, and accountability for decisions. Dashboards should present actionable signals, exceptions, and performance metrics for supervisors and field crews.

9.3. Towards Sustainable and Intelligent Waste Reduction Systems

Sustainable waste reduction requires earlier decisions, tighter feedback loops, and measurable accountability. Predictive analytics enables this shift by linking sensing and data platforms to forecasting, optimization, and decision support across collection, sorting, recycling, recovery, and disposal. Circular economy targets become achievable when models prioritize prevention, reuse, recycling, and remanufacturing through material-flow aware objectives and traceable decision pathways. Real-time operation strengthens results when edge analytics supports rapid response to fill spikes, contamination events, traffic disruptions, and equipment downtime. Decision simulations and digital twins strengthen policy testing and infrastructure planning by quantifying trade-offs before implementation. Progress depends on interoperable data governance, privacy protection, and workforce readiness. Intelligent waste systems represent a practical route to lower environmental burden, higher service reliability, and resilient urban and industrial ecosystems.

Author Contributions

All authors have equal contributions to the paper. All the authors have read and approved the final manuscript.

Funding

No funding support was received.

Declaration of Conflicting Interests

The author declared no potential conflicts of interest with respect to the research, authorship, and/ or publication of this article.

Data Availability

The datasets generated during and/ or analysed during the current study are available from the corresponding author on reasonable request.

Declaration on AI Use

The authors declare that no artificial intelligence AI or AI-assisted tools were used in the preparation of this manuscript.

References

[1] K. Kotyal, "Sustainable waste management in the circular economy: Challenges and opportunities," *ER*, vol. 5, no. 2, pp. 1–5, 2023, doi: 10.51470/er.2023.5.2.01.

[2] Ø. P. Solevåg, "First steps towards sustainable waste management," in *Business Transitions: A Path to Sustainability*, A. M. Fet, Ed. Cham, Switzerland: Springer, 2023. doi: 10.1007/978-3-031-22245-0_20

[3] E. Wikurendra, I. Fertő, I. Nagy, and G. Nurika, "Strengths, weaknesses, opportunities, and threats of waste management with circular economy principles in developing countries: A systematic review," *Environmental Quality Management*, vol. 32, no. 1, pp. 87–94, 2022. doi: 10.1002/tqem.21846.

[4] P. Bartoszczuk, "Circular economy and its restriction," Economics and Environment, vol. 86, no. 3, pp. 469–482, 2023. doi: 10.34659/eis.2023.86.3.650.

© 2026 The Author(s)
This work is licensed under a Creative Commons Attribution-ShareAlike 4.0 International License
ISSN: 3110-1577

[5] M. Negrete-Cardoso, G. Rosano-Ortega, É. Álvarez-Aros, M. Cortés, C. Lebrún, and F. Sánchez-Ruíz, "Circular economy strategy and waste management: A bibliometric analysis in its contribution to sustainable development toward a post-COVID-19 era," *Environ. Sci. Pollut. Res.*, vol. 29, no. 41, pp. 61729–61746, 2022, doi: 10.1007/s11356-022-18703-3.

[6] D. Dhanya, S. Kumar, A. Thilagavathy, D. Prasad, and S. Boopathi, "Data analytics and artificial intelligence in the circular economy," pp. 40–58, 2023, doi: 10.4018/979-8-3693-0044-2.ch003.

[7] A. Rihm, C. Piamonte, E. Lagos, M. Correal, and P. Morán, "Digital transformation of solid waste management: Waste collection innovation, business intelligence, and digital technologies to transition waste management towards circularity in Latin America and the Caribbean," 2024. doi: 10.18235/0013169

[8] C. O. Nwamekwe, I. N. Chidiebube, O. C. Godfrey, N. E. Celestine, and A. P. Sunday, "Resilience and risk management in social robot systems: An industrial engineering perspective," *Culture Educ. Technol. Res.*, vol. 2, no. 2, pp. 1–12, 2025.

[9] S. Nesmachnow, D. Rossit, and P. Moreno-Bernal, "A literature review of recent advances on innovative computational tools for waste management in smart cities," *Urban Sci.*, vol. 9, no. 1, p. 16, 2025, doi: 10.3390/urbansci9010016.

[10] E. Puntarić, L. Pezo, Ž. Zgorelec, J. Gunjača, D. Grgić, and N. Voća, "Prediction of the production of separated municipal solid waste by artificial neural networks in Croatia and the European Union," *Sustainability*, vol. 14, no. 16, p. 10133, 2022. doi: 10.3390/su141610133

[11] B. Paneru, R. Poudyal, B. Paneru, K. Shah, and K. Poudyal, "Revolutionizing waste management: A cutting-edge PyTorch model for waste classification and prediction, coupled with a user-friendly recycling recommendation application built with Tkinter," *Indonesian Journal of Electronics, Electromedical Engineering and Medical Informatics*, vol. 6, no. 1, pp. 43–51, 2024. doi: 10.35882/ijeeemi.v6i1.344

[12] C. O. Nwamekwe, N. V. Ewuzie, N. C. Igbokwe, and C. V. Nwabueze, "Evaluating advances in machine learning algorithms for predicting and preventing maternal and foetal mortality in Nigerian healthcare: A systematic approach," *Int. J. Ind. Prod. Eng.*, vol. 3, no. 1, pp. 1–15, 2025. Available: https://journals.unizik.edu.ng/ijipe/article/view/5161

[13] C. O. Nwamekwe, I. N. Chidiebube, O. C. Godfrey, N. E. Celestine, and P. S. Aguh, "Human-robot collaboration in industrial engineering: Enhancing productivity and safety," *J. Ind. Eng. Manag. Res.*, vol. 6, no. 5, pp. 1–20, 2025.

[14] C. O. Nwamekwe, C. C. Okpala, and S. C. Okpala, "Machine learning-based prediction algorithms for the mitigation of maternal and fetal mortality in Nigerian tertiary hospitals," *Int. J. Eng. Inventions*, vol. 13, no. 7, pp. 132–138, 2024. Available: https://www.ijeijournal.com/papers/Vol13-Issue7/1307132138.pdf

[15] C. C. Okpala, C. E. Udu, and C. O. Nwamekwe, "Sustainable HVAC project management: Strategies for green building certification," *International Journal of Industrial and Production Engineering*, vol. 3, no. 2, pp. 14–28, 2025. [Online]. Available: https://journals.unizik.edu.ng/ijipe/article/view/5595

[18] C. O. Nwamekwe and O. C. Chikwendu, "Circular economy strategies in industrial engineering: From theory to practice," *Int. J. Multidiscip. Res. Growth Eval.*, vol. 6, no. 1, pp. 1773–1782, 2025. Available: https://www.allmultidisciplinaryjournal.com/uploads/archives/20250212103754_MGE-2025-1-288.1.pdf

[19] C. O. Nwamekwe, E. C. Nwabunwanne, F. N. Okeagu, and C. G. Ono, "Lean manufacturing principles in the design and production of social robots," *Int. J. Ind. Eng. Technol. Oper. Manag.*, vol. 3, no. 1, pp. 23–34, 2025.

[20] C. O. Nwamekwe, O. C. Ezeanyim, and N. C. Igbokwe, "Resilient supply chain engineering in the era of disruption: An appraisal," *Int. J. Innov. Eng. Technol. Sci.*, vol. 9, no. 1, pp. 11–23, 2025. Available: https://hal.science/hal-05061524/

[21] U. C. Emeka, C. Okpala, and C. O. Nwamekwe, "Circular economy principles' implementation in electronics manufacturing: Waste reduction strategies in chemical management," International Journal of Industrial and Production Engineering, vol. 3, no. 2, pp. 29–42, 2025

[22] C. C. Okpala, C. E. Udu, and C. O. Nwamekwe, "Artificial intelligence-driven total productive maintenance: The future of maintenance in smart factories," *International Journal of Engineering Research and Development*, vol. 21, no. 1, pp. 68–74, 2025. [Online]. Available: https://www.ijerd.com/paper/vol21-issue1/21016874.pdf

[23] J. Byabazaire, G. O'Hare, R. Collier, and D. Delaney, "IoT data quality assessment framework using adaptive weighted estimation fusion," Sensors, vol. 23, no. 13, p. 5993, 2023. doi: 10.3390/s23135993.

[24] E. N. Vitalis, C. O. Nwamekwe, I. N. Chidiebube, N. Chibuzo, E. C. Nwabunwanne, and C. G. Ono, "Application of machine-learning-based hybrid algorithm for production forecast in textile company," *Jurnal Inovasi Teknologi dan Edukasi Teknik*, vol. 4, no. 12, pp. 1–9, 2024.

[25] I. T. Okorocha, C. E. Chinwuko, C. O. Mgbemena, O. C. Godfrey, and C. E. Mgbemena, "Production optimization using gas lift incorporated with artificial neural network," *UNIZIK J. Eng. Appl. Sci.*, vol. 21, no. 1, pp. 842–858, 2022.

[26] P. Chanal and M. Kakkasageri, "Blockchain based data integrity framework for internet of things," Research Square, 2022. doi: 10.21203/rs.3.rs-1641782/v1.

[27] A. Igwe, C. Ewim, O. Ofodile, and N. Sam-Bulya, "The role of distributed ledger technologies in data interoperability and fusion for enhancing sustainable supply chains," *Eng. Sci. Technol. J.*, vol. 5, no. 10, pp. 2998–3013, 2024, doi: 10.51594/estj.v5i10.1670.

[28] C. O. Nwamekwe, N. V. Ewuzie, N. C. Igbokwe, E. C. Nwabunwanne, and C. G. Ono, "Digital twin-driven lean manufacturing: Optimizing value stream flow," *Lett. Inf. Technol. Educ.*, vol. 8, no. 1, pp. 1–13, 2025. Available: https://hal.science/hal-05127340/

© 2026 The Author(s)
This work is licensed under a Creative Commons Attribution-ShareAlike 4.0 International License
ISSN: 3110-1577

[29] C. O. Nwamekwe, C. E. Chinwuko, and C. E. Mgbemena, "Development and implementation of a computerised production planning and control system," *UNIZIK J. Eng. Appl. Sci.*, vol. 17, no. 1, pp. 168–187, 2020. Available: https://journals.unizik.edu.ng/ujeas/article/view/1771

[30] N. C. Igbokwe, C. Christiana, C. O. N. Nweke, and C. Onyeka, "Data-driven solutions for shuttle bus travel time prediction: Machine learning model evaluation at Nnamdi Azikiwe University," African Journal of Computing, Data Science and Informatics (AJCDSI), vol. 1, no. 1, pp. 31–55, 2025.

[31] S. Azarmi, A. Oladipo, R. Vaziri, and H. Alipour, "Comparative modelling and artificial neural network inspired prediction of waste generation rates of hospitality industry: The case of North Cyprus," Sustainability, vol. 10, no. 9, p. 2965, 2018. doi: 10.3390/su10092965.

[32] K. Nęcka, T. Szul, J. Piotrowska-Woroniak, and K. Pancerz, "Assessment of municipal waste forecasting methods in Poland considering socioeconomic aspects," *Energies*, vol. 17, no. 14, p. 3524, 2024, doi: 10.3390/en17143524.

[33] C. O. Nwamekwe and N. C. Igbokwe, "Supply chain risk management: Leveraging AI for risk identification, mitigation, and resilience planning," *Int. J. Ind. Eng. Technol. Oper. Manag.*, vol. 2, no. 2, pp. 41–51, 2024, doi: 10.62157/ijietom.v2i2.38.

[34] C. O. Nwamekwe, C. C. Okpala, and E. C. Nwabunwanne, "Design principles and challenges in achieving zero-energy manufacturing facilities," *J. Eng. Res. Appl. Sci.*, vol. 14, no. 1, pp. 1–21, 2025.

[35] O. C. Ezeanyim, E. C. Nwabunwanne, N. C. Igbokwe, and C. O. Nwamekwe, "Patient flow and service efficiency in public hospitals: Data-driven approaches, strategies, challenges, and future directions," Journal Health of Indonesian, vol. 3, no. 2, pp. 104–124, 2025. doi: 10.58471/health.v3i02.228.

[36] C. C. Okpala, O. C. Ezeanyim, and C. O. Nwamekwe, "The implementation of Kaizen principles in manufacturing processes: A pathway to continuous improvement," *International Journal of Engineering Inventions*, vol. 13, no. 7, pp. 116–124, 2024. [Online]. Available: https://www.ijeijournal.com/papers/Vol13-Issue7/1307116124.pdf

[37] J. Willard, X. Jia, S. Xu, M. Steinbach, and V. Kumar, "Integrating scientific knowledge with machine learning for engineering and environmental systems," *ACM Computing Surveys*, vol. 55, no. 4, pp. 1–37, 2022. doi: 10.1145/3514228.

[38] R. Ochoa-Barragán, A. Munguía-López, and J. Ponce-Ortega, "A hybrid machine learning–mathematical programming optimization approach for municipal solid waste management during the pandemic," *Environ. Dev. Sustain.*, vol. 26, no. 7, pp. 17653–17672, 2023, doi: 10.1007/s10668-023-03354-2.

[39] D. Muñoz, A. Thomas, J. Cotton, J. Bertrand, and F. Chinesta, "Hybrid twins modeling of a high-level radioactive waste cell demonstrator for long-term temperature monitoring and forecasting," *Sensors*, vol. 24, no. 15, p. 4931, 2024, doi: 10.3390/s24154931.

[40] P. Kerdlap, A. Purnama, J. Low, D. Tan, C. Barlow, and S. Ramakrishna, "Comparing the environmental performance of distributed versus centralized plastic recycling systems: Applying hybrid simulation modeling to life cycle assessment," *J. Ind. Ecol.*, vol. 26, no. 1, pp. 252–271, 2021, doi: 10.1111/jiec.13151.

[41] L. Belli, A. Cilfone, L. Davoli, G. Ferrari, P. Adorni, F. Nocera, et al., "IoT-enabled smart sustainable cities: Challenges and approaches," Smart Cities, vol. 3, no. 3, pp. 1039–1071, 2020. doi: 10.3390/smartcities3030052.

[42] K. Agrawal, P. Goktas, M. Holtkemper, C. Beecks, and N. Kumar, "AI-driven transformation in food manufacturing: A pathway to sustainable efficiency and quality assurance," Frontiers in Nutrition, vol. 12, 2025. doi: 10.3389/fnut.2025.1553942.

[43] C. O. Nwamekwe, N. V. Ewuzie, C. C. Okpala, C. Ezeanyim, C. V. Nwabueze, and E. C. Nwabunwanne, "Optimizing machine learning models for soil fertility analysis: Insights from feature engineering and data localization," *Gazi Univ. J. Sci. Part A Eng. Innov.*, vol. 12, no. 1, pp. 36–60, 2025. Available: https://dergipark.org.tr/en/pub/gujsa/issue/90827/1605587

[44] C. Ferrão, J. Moraes, L. Fava, J. Furtado, Ê. Machado, A. Rodrigues, et al., "Optimizing routes of municipal waste collection: An application algorithm," Management of Environmental Quality: An International Journal, vol. 35, no. 5, pp. 965–985, 2024. doi: 10.1108/MEQ-08-2023-0267.

[45] N. C. Onyeka and N. Emeka, "Circular economy and zero-energy factories: A synergistic approach to sustainable manufacturing," *Journal of Research in Engineering and Applied Sciences*, vol. 10, no. 1, pp. 829–835, 2025.

[46] S. Gulyamov, "Intelligent waste management using IoT, blockchain technology and data analytics," E3S Web of Conferences, vol. 501, p. 01010, 2024. doi: 10.1051/e3sconf/202450101010.

[47] S. Ahmed, S. Mubarak, J. Du, and S. Wibowo, "Forecasting the status of municipal waste in smart bins using deep learning," International Journal of Environmental Research and Public Health, vol. 19, no. 24, p. 16798, 2022. doi: 10.3390/ijerph192416798.

[48] J. Ojadi, O. Owulade, C. Odionu, and E. Onukwulu, "AI-driven optimization of water usage and waste management in smart cities for environmental sustainability," *Eng. Technol. J.*, vol. 10, no. 3, 2025, doi: 10.47191/etj/v10i03.36.

[49] M. Belhiah and S. Ziti, "Optimising unplanned waste collection: An IoT-enabled system for smart cities, a case study in Tangier, Morocco," IET Smart Cities, vol. 6, no. 1, pp. 27–40, 2023. doi: 10.1049/smc2.12069.

[50] C. Nwamekwe, N. Ewuzie, N. Igbokwe, C. Okpala, and C. U-Dominic, "Sustainable manufacturing practices in Nigeria: Optimization and implementation appraisal," *J. Res. Eng. Appl. Sci.*, vol. 9, no. 3, 2024. Available: https://qtanalytics.in/journals/index.php/JREAS/article/view/3967

© 2026 The Author(s)
This work is licensed under a Creative Commons Attribution-ShareAlike 4.0 International License
ISSN: 3110-1577

[51] C. M. U-Dominic, I. J. Orji, C. I. Nkemakonam, N. C. Onyeka, and M. A. Nwufo, "A decision methodology for Six-Sigma implementation in the Nigerian small and medium scale enterprise (SME)," *Unizik Journal of Technology, Production and Mechanical Systems*, vol. 5, no. 1, pp. 186–202, 2025.

[52] O. C. Godfrey, G. H. Chukwuemeka, M. C. Edith, and E. C. Daniel, "Stochastic process assessment for XP600 printhead failures: A Weibull method study," UNIZIK Journal of Engineering and Applied Sciences, vol. 3, no. 1, pp. 445–456, 2024.

[53] C. O. Nwamekwe and E. C. Nwabunwanne, "Immersive digital twin integration in the metaverse for supply chain resilience and disruption management," *J. Eng. Res. Appl. Sci.*, vol. 14, no. 1, pp. 95–105, 2025.

[54] F. Okeagu, C. Nwamekwe, and B. Nnamani, "Challenges and solutions of industrial development in Anambra State, Nigeria," *Iconic Res. Eng. J.*, vol. 7, no. 11, pp. 467–472, 2024. Available: https://www.irejournals.com/formatedpaper/1705825.pdf

[55] C. G. Ono and C. C. Okpala, "Smart and resilient agriculture for sustainable food systems under climate change: Global lessons for food security," *International Journal of Engineering Research and Development*, vol. 21, no. 12, pp. 111–123, 2025.

[56] N. C. Igbokwe and C. O. Nwamekwe, "Application of machine learning in predicting emergency obstetric cases in Sub-Saharan Africa: An early appraisal," International Journal of Industrial Engineering, Technology and Operations Management, vol. 3, no. 1, pp. 13–22, 2025.

[57] N. C. Onyeka, E. N. Vitalis, I. N. Chidiebube, C. M. U-Dominic, and N. Chibuzo, "Adoption of smart factories in Nigeria: Problems, obstacles, remedies and opportunities," *International Journal of Industrial and Production Engineering*, vol. 2, no. 2, pp. 68–81, 2024. [Online]. Available: https://journals.unizik.edu.ng/ijipe/article/view/4167

[58] N. C. Igbokwe, F. N. Okeagu, N. C. Onyeka, J. B. Onwuliri, and O. C. Godfrey, "Machine learning-driven maintenance cost optimization: Insights from a local industrial compressor case study," Jurnal Inovasi Teknologi dan Edukasi Teknik, vol. 4, no. 11, p. 2, 2024.

[59] O. C. Ezeanyim, N. V. Ewuzie, P. S. Aguh, C. V. Nwabueze, and C. O. Nwamekwe, "Effective maintenance of industrial 5-stage compressor: A machine learning approach," Gazi University Journal of Science Part A: Engineering and Innovation, vol. 12, no. 1, pp. 96–118, 2025. [Online]. Available: https://dergipark.org.tr/en/pub/gujsa/issue/90827/1646993

[60] M. Satyanarayanan, "The emergence of edge computing," *Computer*, vol. 50, no. 1, pp. 30–39, 2017. doi: 10.1109/MC.2017.9.

[61] W. Shi, J. Cao, Q. Zhang, Y. Li, and L. Xu, "Edge computing: Vision and challenges," *IEEE Internet of Things Journal*, vol. 3, no. 5, pp. 637–646, 2016. doi: 10.1109/JIOT.2016.2579198.

[62] A. Vaswani *et al.*, "Attention is all you need," in *Advances in Neural Information Processing Systems*, vol. 30, 2017.

[63] J. Devlin, M. W. Chang, K. Lee, and K. Toutanova, "BERT: Pre-training of deep bidirectional transformers for language understanding," in *Proc. 2019 Conf. North American Chapter of the Association for Computational Linguistics: Human Language Technologies (NAACL-HLT)*, vol. 1, pp. 4171–4186, Jun. 2019.

[64] T. Brown *et al.*, "Language models are few-shot learners," in *Advances in Neural Information Processing Systems*, vol. 33, pp. 1877–1901, 2020.

[65] J. Kaplan *et al.*, "Scaling laws for neural language models," *arXiv preprint arXiv:2001.08361*, 2020.

[66] R. Bommasani *et al.*, "On the opportunities and risks of foundation models," *arXiv preprint arXiv:2108.07258*, 2021.

[67] P. Lewis *et al.*, "Retrieval-augmented generation for knowledge-intensive NLP tasks," in *Advances in Neural Information Processing Systems*, vol. 33, pp. 9459–9474, 2020.

[68] J. D. Sterman, *Business Dynamics: Systems Thinking and Modeling for a Complex World*. New York, NY, USA: McGraw-Hill, 2000.

[69] S. F. Railsback and V. Grimm, *Agent-Based and Individual-Based Modeling: A Practical Introduction*, 2nd ed. Princeton, NJ, USA: Princeton University Press, 2019.

[70] R. S. Sutton and A. G. Barto, *Reinforcement Learning: An Introduction*, 2nd ed. Cambridge, MA, USA: MIT Press, 2018.

[71] F. Tao, H. Zhang, A. Liu, and A. Y. C. Nee, "Digital twin in industry: State-of-the-art," *IEEE Transactions on Industrial Informatics*, vol. 15, no. 4, pp. 2405–2415, 2018. doi: 10.1109/TII.2018.2873186.

[72] J. Pearl, *Causality: Models, Reasoning, and Inference*, 2nd ed. Cambridge, U.K.: Cambridge University Press, 2009. doi: 10.1017/CBO9780511803161.

[73] A. M. Kaplan and M. Haenlein, "Siri, Siri, in my hand: Who's the fairest in the land? On the interpretations, illustrations, and implications of artificial intelligence," *Business Horizons*, vol. 62, no. 1, pp. 15–25, 2019. doi: 10.1016/j.bushor.2018.08.004.

[74] C. O. Nwamekwe, R. O. Edokpia, and E. C. Igbinosa, "Exploring the role of artificial intelligence in enhancing lean manufacturing and Six Sigma for smart factories," *Int. J. Ind. Eng. Technol. Oper. Manag.*, vol. 3, no. 1, pp. 1–12, 2025.

© 2026 The Author(s)
This work is licensed under a Creative Commons Attribution-ShareAlike 4.0 International License
ISSN: 3110-1577